CAMP Monitoring Daily Report

| | |
|---|---|
| **Date** | November 13, 2026 |
| **Contract #** | 20278803082 |
| **EPIN #** | 80627W0001001 |
| **Company** | CNS Environmental Corp. |
| **Air Monitor** | Tisa Diaz |
| **CNS Job #** | E226-1300 |
| **Site Name** | Former Roosevelt Island Steam Plant |
| **Site Address** | 5 East Main Street, Roosevelt Island, NY |

## Weather

| | |
|---|---|
| **Conditions** | Rain |
| **Temperature (°F)** | 62 |
| **Wind Speed (MPH)** | 4 |
| **Wind Direction** | Southwest to Northeast |

## CAMP Monitoring

| | VOCs (ppm) | CAMP Station #1 Upwind Dust 8530084004 (mg/m$^3$) | CAMP Station #2 Downwind Dust 8530084006 (mg/m$^3$) | CAMP Station #3 Downwind Dust 8530083911 (mg/m$^3$) |
|---|---|---|---|---|
| **Background Reading:** | 0.0 | 0.003 | 0.002 | 0.004 |
| **Average Reading:** | 0.0 | 0.012 | 0.006 | 0.007 |
| **Highest Reading:** | 0.0 | 0.070 | 0.012 | 0.009 |

Exceedances

**VOC:** Did any VOC reading exceed background by more than 5 ppm for any 15-minute period? ☐ Yes ☒ No
***If yes***: Action Taken: _____

**Dust:** Did any downwind dust reading exceed the upwind reading by more than 0.100 mg/m$^3$ for any 15-minute period? ☐ Yes ☒ No
***If yes***: Action Taken: _____

**Prepared by:**

Tisa Diaz
**Name of Air Monitor**

Tisa Diaz Digitally signed by Tisa Diaz
**Signature of Air Monitor**

**Reviewed by:**

Charles Powers
**Name**

President
**Title**

CNS ENVIRONMENTAL
A REAL ESTATE SERVICES COMPANY

| | |
|---|---|
| Instrument Name | DustTrak II |
| Model Number | 8530 |
| Serial Number | 8530083911 |
| Firmware Version | 3.1 |
| Calibration Date | 08/25/2026 |
| Test Name | MANUAL_001 |
| Test Start Time | 08:07:29 AM |
| Test Start Date | 11/13/2026 |
| Test Length [D:H:M] | 0:7:45 |
| Test Interval [M:S] | 15:0 |
| Mass Average [mg/m3] | 0.007 |
| Mass Minimum [mg/m3] | 0.004 |
| Mass Maximum [mg/m3] | 0.009 |
| Mass TWA [mg/m3] | 0.007 |
| Photometric User Cal | 1 |
| Flow User Cal | 0 |
| Errors | |
| Number of Samples | 31 |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|---|---|---|---|
| 900 | 0.004 | | |
| 1801 | 0.004 | | |
| 2700 | 0.005 | | |
| 3600 | 0.005 | | |
| 4500 | 0.006 | | |
| 5400 | 0.007 | | |
| 6300 | 0.007 | | |
| 7200 | 0.008 | | |
| 8100 | 0.008 | | |
| 9000 | 0.008 | | |
| 9900 | 0.007 | | |
| 10800 | 0.007 | | |
| 11701 | 0.008 | | |
| 12600 | 0.009 | | |
| 13500 | 0.009 | | |
| 14400 | 0.008 | | |
| 15300 | 0.009 | | |
| 16201 | 0.009 | | |
| 17100 | 0.009 | | |
| 18000 | 0.009 | | |
| 18900 | 0.009 | | |
| 19800 | 0.008 | | |
| 20700 | 0.008 | | |
| 21600 | 0.007 | | |
| 22500 | 0.008 | | |
| 23400 | 0.009 | | |
| 24300 | 0.007 | | |
| 25200 | 0.008 | | |
| 26100 | 0.007 | | |
| 27000 | 0.006 | | |
| 27900 | 0.006 | | |

| | |
|---|---|
| Instrument Name | DustTrak II |
| Model Number | 8530 |
| Serial Number | 8530084004 |
| Firmware Version | 3.1 |
| Calibration Date | 08/27/2026 |
| Test Name | MANUAL_001 |
| Test Start Time | 07:49:34 AM |
| Test Start Date | 11/13/2026 |
| Test Length [D:H:M] | 0:7:45 |
| Test Interval [M:S] | 15:0 |
| Mass Average [mg/m3] | 0.012 |
| Mass Minimum [mg/m3] | 0.003 |
| Mass Maximum [mg/m3] | 0.07 |
| Mass TWA [mg/m3] | 0.012 |
| Photometric User Cal | 1 |
| Flow User Cal | 0 |
| Errors | |
| Number of Samples | 31 |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|---|---|---|---|
| 900 | 0.003 | | |
| 1800 | 0.003 | | |
| 2700 | 0.004 | | |
| 3600 | 0.004 | | |
| 4500 | 0.004 | | |
| 5400 | 0.005 | | |
| 6300 | 0.006 | | |
| 7200 | 0.006 | | |
| 8100 | 0.006 | | |
| 9000 | 0.006 | | |
| 9900 | 0.006 | | |
| 10800 | 0.006 | | |
| 11700 | 0.07 | | |
| 12600 | 0.06 | | |
| 13500 | 0.037 | | |
| 14400 | 0.042 | | |
| 15300 | 0.017 | | |
| 16200 | 0.009 | | |
| 17100 | 0.007 | | |
| 18000 | 0.007 | | |
| 18900 | 0.007 | | |
| 19800 | 0.007 | | |
| 20700 | 0.007 | | |
| 21600 | 0.006 | | |
| 22500 | 0.006 | | |
| 23400 | 0.006 | | |
| 24300 | 0.007 | | |
| 25200 | 0.006 | | |
| 26100 | 0.006 | | |
| 27000 | 0.005 | | |
| 27900 | 0.005 | | |

| | |
|---|---|
| Instrument Name | DustTrak II |
| Model Number | 8530 |
| Serial Number | 8530084006 |
| Firmware Version | 3.1 |
| Calibration Date | 08/26/2026 |
| Test Name | MANUAL_001 |
| Test Start Time | 07:58:56 AM |
| Test Start Date | 11/13/2026 |
| Test Length [D:H:M] | 0:7:45 |
| Test Interval [M:S] | 15:0 |
| Mass Average [mg/m3] | 0.006 |
| Mass Minimum [mg/m3] | 0.002 |
| Mass Maximum [mg/m3] | 0.012 |
| Mass TWA [mg/m3] | 0.005 |
| Photometric User Cal | 1 |
| Flow User Cal | 0 |
| Errors | |
| Number of Samples | 31 |

| Elapsed Time [s] | Mass [mg/m3] | Alarms | Errors |
|---|---|---|---|
| 900 | 0.002 | | |
| 1800 | 0.002 | | |
| 2700 | 0.002 | | |
| 3600 | 0.003 | | |
| 4500 | 0.003 | | |
| 5400 | 0.004 | | |
| 6300 | 0.004 | | |
| 7200 | 0.005 | | |
| 8100 | 0.005 | | |
| 9000 | 0.005 | | |
| 9900 | 0.005 | | |
| 10800 | 0.008 | | |
| 11700 | 0.009 | | |
| 12600 | 0.007 | | |
| 13500 | 0.007 | | |
| 14400 | 0.008 | | |
| 15300 | 0.012 | | |
| 16200 | 0.006 | | |
| 17100 | 0.007 | | |
| 18000 | 0.006 | | |
| 18900 | 0.007 | | |
| 19800 | 0.006 | | |
| 20700 | 0.006 | | |
| 21600 | 0.005 | | |
| 22500 | 0.005 | | |
| 23400 | 0.006 | | |
| 24300 | 0.006 | | |
| 25200 | 0.006 | | |
| 26100 | 0.005 | | |
| 27000 | 0.005 | | |
| 27900 | 0.004 | | |