

DAILY STATUS REPORTPrepared By: Alexandria Orlassino

WEATHER	Snow		Rain	X	Overcast	X	Partly Cloudy		Bright Sun	
TEMP.	< 32		32-50		50-70		70-85		>85	

NYSDEC Spill No.	25-08914	MOSF#	2-2640	Date:	9/01/2026
Project Name:	Former Goldwater Memorial Hospital MOSF 5 East Main Street Roosevelt Island, Manhattan, New York 10044		Wind: Southwest 3-8 mph		

Consultant: Alexandria Orlassino - Preferred Environmental Services Eileen Cipollone – Restoration Conservation Advisement	Safety Officer:
General Contractor: Statewide Demolition Corporation Subcontractors:	Site Manager/ Supervisor: Peter Musso
Work Activities Performed (Since Last Report): - Statewide imported seventeen (17) loads of clean fill from Hunter's Point. - Statewide backfilled and compacted clean fill.	
Working In Grid #: 1, 2	
Stabilized Construction Entrance Inspected: Yes/No Repair Needed: Yes/No	
<u>Truck Inspection Station/Decontamination Pad</u> Trucks inspected and debris removed: Yes/No <u>Sump Area of Decontamination Pad</u> Any Run-off leaving Sump: Yes/No Sediment building placed in drums: Yes /No # of drums to date: 0	
Samples Collected (Since Last Report): N/A	
Air Monitoring (Since Last Report): Air Monitoring was conducted during intrusive work activities. Prestart Conditions – PID = 0.0 ppm, Dust = 0.054 mg/m ³ High Conditions – PID = 0.0 ppm, Dust = 0.100 mg/m ³ (see below)	

CAMP Log

Date: <u>9/14/2024</u>		Enter Site Name: <u>FACILITY: Goldwater Plastics/Plastic MFG</u>		Job Activity: <u>Clean Fill Import</u>
Air Monitoring Log		Consultant: <u>Alexander Orfissing</u>		
Time	Upwind Dust (ug/m ³)	Upwind PBD (ppm)	Downwind Dust (ug/m ³)	Downwind PBD (ppm)
7:00	0.054	0.0	0.051	0.0
7:15	0.055		0.049	0.0
7:30	0.050		0.063	0.0
7:45	0.052		0.055	0.0
8:00	0.050		0.043	0.0
8:15	0.049		0.052	0.0
8:30	0.024		0.050	0.0
8:45	0.023		0.059	0.0
9:00	0.025		0.063	0.0
9:15	0.007		0.055	0.0
9:30	0.005		0.060	0.0
9:45	0.008		0.070	0.0
10:00	0.014		0.060	0.0
10:15	0.013		0.067	0.0
10:30	0.013		0.063	0.0
10:45	0.010		0.070	0.0
11:00	0.016		0.073	0.0
11:15	0.012		0.083	0.0
11:30	0.014		0.081	0.0
11:45	0.012		0.086	0.0
12:00	0.042		0.099	0.0
12:15	0.037		0.100	0.0
12:30	0.040		0.097	0.0
12:45	0.043		0.093	0.0
13:00	0.027		0.099	0.0
13:15	0.023		0.088	0.0
13:30	0.035		0.096	0.0
13:45	0.033		0.090	0.0
14:00	0.043		0.082	0.0
14:15	0.012		0.067	0.0
14:30	0.010		0.063	0.0
14:45	0.015		0.055	0.0
15:00	0.020		0.053	0.0
15:15	0.016	Public Clock	0.055	0.0



Station and TO battery at least

weather: rain in the morning; cloudy
71°F - 86°F

wind: southwest 3-8 mph

⊗ = Station

DW = Downwind Station

UP = Upwind Station