

DAILY STATUS REPORTPrepared By: Elizabeth Casey

WEATHER	Snow		Rain		Overcast		Partly Cloudy	x	Bright Sun	
TEMP.	< 32		32-50		50-70	x	70-85		>85	

NYSDEC Spill No.	25-08914	MOSF#	2-2640	Date:	9/15/2026
Project Name:	Former Goldwater Memorial Hospital MOSF 5 East Main Street Roosevelt Island, Manhattan, New York 10044		Wind: NNE 6 mph		

Consultant: Luke Buquicchio - Preferred Environmental Services Eileen Cipollone – Restoration Conservation Advisement	Safety Officer:
General Contractor: Statewide Demolition Corporation Subcontractors:	Site Manager/ Supervisor: Peter Musso
Work Activities Performed (Since Last Report): Fifteen (15) loads of clean fill imported from Hunters Point and placed in Grids 1 and 3.	
Working In Grid #: 1 and 3	
Stabilized Construction Entrance inspected: Yes / No Repair Needed: Yes / No	
<u>Truck Inspection Station/Decontamination Pad</u> Trucks inspected and debris removed: Yes / No	
<u>Sump Area of Decontamination Pad</u> Any Run-off leaving Sump: Yes / No Sediment building placed in drums: Yes / No # of drums to date:	
Samples Collected (Since Last Report): N/A	
Air Monitoring (Since Last Report): Air Monitoring was conducted during intrusive work activities. Prestart Conditions – PID = 0.0 ppm, Dust = 0.007 mg/m ³ High Conditions – PID = 0.0 ppm, Dust = 0.029 mg/m ³ (see below)	

CAMP Log

Date: <u>9/15/06</u> Enter Site Name: <u>Former Goldwater Memorial Hospital MOSE</u> Daily Activity				
Air Monitoring Log				
Time	Upwind Dust (ug/m3)	Upwind PID (ppm)	Downwind Dust (ug/m3)	Downwind PID (ppm)
6:50	0.022	0.0	0.012	0.0
7:05	0.048	0.0	0.012	0.0
7:20	0.024	0.0	0.009	0.0
7:35	0.032	0.0	0.011	0.0
7:50	0.048	0.0	0.009	0.0
8:05	0.064	0.0	0.035	0.0
8:20	0.027	0.0	0.038	0.0
8:35	0.022	0.0	0.038	0.0
8:50	0.023	0.0	0.041	0.0
9:05	0.042	0.0	0.070	0.0
9:20	0.032	0.0	0.017	0.0
9:35	0.083	0.0	0.038	0.0
9:50	0.027	0.0	0.011	0.0
10:05	0.128	0.0	0.089	0.0
10:20	0.024	0.0	0.018	0.0
10:35	0.023	0.0	0.016	0.0
10:50	0.021	0.0	0.055	0.0
11:05	0.023	0.0	0.016	0.0
11:20	0.042	0.0	0.013	0.0
11:35	0.048	0.0	0.012	0.0
11:50	0.056	0.0	0.012	0.0
12:05	0.031	0.0	0.007	0.0
12:20	0.064	0.0	0.009	0.0
12:35	0.045	0.0	0.047	0.0
12:50	0.025	0.0	0.022	0.0
1:05	0.024	0.0	0.023	0.0
1:20	0.048	0.0	0.047	0.0
1:35	0.051	0.0	0.073	0.0
1:50	0.029	0.0	0.022	0.0
2:05	0.024	0.0	0.022	0.0
2:20	0.028	0.0	0.047	0.0
2:35	0.025	0.0	0.017	0.0
2:50	0.027	0.0	0.022	0.0
3:05	0.024	0.0	0.014	0.0

